DETAILS OF EQUIPMENT AND INFRASTRUCTURE REQUIRED FOR PHYSIOTHERAPY LABORATORY AS PER MSR

Faculty: Physiotherapy

Year 2023-24

Name of College: M. A. Rangoonwala College of Physiotherapy and Research, Pune

Equipment's required for laboratories (as per M.S.R.)

Sr. No	Particulars to be verified	Details on College website	Adequate /Inadequate
	Electrotherapy & Electrodiagnosis (as per M.S.R.): Cubicles with Separate Power line (earthed), Hot Pack Unit (Machine), Hot Packs, Cold Pack Unit, Cold Packs, Paraffin Wax Bath (PWB), Open circuit Stimulator, Shortwave Diathermy - 500W, UVR Lamp (Floor Model), Ultrasound Unit, I.R. lamp, Whirlpool Bath (Desirable), Diagnostic Stimulators, TENS Unit, Interferential Current Therapy Unit (IFT), LASER Unit (Therapeutic) (Desirable), Cervical cum lumber traction Units, Wall Mounted Cervical Traction Unit, Contrast Bath, Exam Couch, Two channeled EMG with IP analyzer, Biofeedback /multi stimulator.	Yes	Adequate
	Kinesiotherapy (as per M.S.R.): Cubicles, Parallel Bar with Mirror, Wall Bar (In metal Frame), Stair Case (Straight Type – 60CM Wide), Suspension App., Tilt Table (Manual), Ergocycle, Rowing Machine, Exam Couch, Exercise Mat, Dumbells & Springs, Weight cuffsm Wedges, Sand Bags, Medicine Ball, Therabands, Swiss Ball (Physio Balls) 55cms, 65cms, 75cms, 85cms, Hand Dynamometer, Hand Evaluation Kit, Delorme's Boot with weight, Hand Exercise Unit, CPM Unit, Shoulder Wheel, Finger ladder, Skates, Skate Board, Axillary / Elbow Crutches, Walkers, Canes, Gutter Crutch, Wobble Board, Equilibrium Board Pediatric and Adult, Quadriceps Table, Ankle Exerciser, Bed Cycle, Rachet, Wrist Roller / Wrist Exerciser, Therapeutic Folded Wheel Chair, Pelvic Inclinometers, B.P. Apparatus, Goniometer, Hammer, Yoga Mat.	Yes	Adequate

Dean/Principal Mampa & Signature College OF PHYSIOTHERAPY & RESEARCH PUNE- 411001

Annexure VI

M.M.E. & R.C's M.A. RANGOONWALACOLLEGE OF PHYSIOTHERAPY AND RESEARCH

List of Equipments and Instruments (2023-2024)

1. ELECTRO THERAPY & ELECTRODIAGNOSIS LAB

Sr.	Equipments/	Required	Available
No.	Facility	(51-100)	
1	15 cubicles separate power line (earthed)	15	15
2	Hot Packs (12)	12	12
3	Cold packs (12)	12	12
4	PWD	03	03
5	Open circuit stimulator	02	02
6	SWD	06	06
7	UVR	06	06
8	Ultrasound	06	06
9	I.R.	06	06
10	Whirl pool	01	01
11	Diagnostic Stimulators	15	15
12	TENS Unit	10	10
13	Interferential Current Therapy Unit	05	08
14	Lasers (desirable)	01	02
15	Cervical & Lumber Traction Units	2+2	2+2
16	Contrast Bath	01	01
17	Two channeled EMG with IP	01	01
	analyzer		
18	Biofeedback/ Multi Stimulator	01	01

2. KINESIOTHERAPY

Sr.	Equipments/	Required	Available
No.	Facility	(51-100)	
1	Cubicles	15	15
2	Parallel Bar with Mirror	02	02
3	Wall Bar	02	01
4	Stair Case	01	01
5	Suspension App.	05	05
6	Tilt Table	02	02
7	Ergocycles	05	05
8	Rowing Machine	03	01
9	Exam counches	20	20
10	Exs. Mats	Adequate	Adequate
11	Dumbbells and springs	Adequate	Adequate
12	Weights/ Wedges	Adequate	Adequate
13	Sand Bags	Adequate	Adequate
14	Medicine Balls	05	03
15	Therabands	2 set of all	2 set of all
		colours	Colours
16	Swiss Balls 24" & 36"	2 each	3 each
17	Hand Dynamometer	01	01
18	Hand Evaluation Kit	01	01
19	Delorm's Boot with weights	05	05
20	Hand Exercise Kit	01	01
21	СРМ	02	03
22	Shoulder Wheel	02	02
23	Finger Ladder	03	03
24	Skates	03	03
25	Axillary/Elbow Crutches &	Adequate	Adequate
	Walkers & Canes	1	
26	Wooble Board	04	04
27	Quadriceps Table	02	02
28	Ankle Exerciser	04	03
29	Bed Cycle	02	02
30	Rachet	02	02
31	Wrist Roller/Wrist Exerciser	Adequate	Adequate
32	Wheel Chairs	Adequate	Adequate
33	Pelvin Inclinometers	02	02
	(Desirable)	02	02
34	Computerized Trademill	03	04
35	Bicycle Ergometer with	03	03
55	speedometer	05	03
	specuometer		10

36	Skin fold caliper	04	02
37	Body Composition Analyzer (Desirable)	01	-
38	Body Fat Analyzer	01	01
39	Weighing scale with height measurement scale	02	02
40	Spirometer	02	01
41	Peak flow meter	06	06
42	Energy Consumption analyzer (Desirable)	01	-
43	Pulse Oxymeter	06	06
44	ECG	02	02
45	Flutter	04	02
46	Inclinatory Muscle Trainer	04	03
47	Oxygen Cylinder	01	01
48	Nebulizer Ultra Sound JET	1	1 1
49	Portable Suction Machine	01	01
50	B.P.Apparatus & Stethscope	06	06
51	Shuttle Walk Test Kit (Desirable)	01	01

3. YOGA /CLINICAL SKILLS LAB

.

Sr.	Equipments/	Required	Available
No.	Facility	(51-100)	
1	Yoga Mats/Pediatric Mats/Mats for Training Neurotherapeutic Skills	30	30
2	Adjustable Manual Therapy Tables	04	04
3	Therabands&Theratubes	Adequate	Adequate
4	Swiss balls	Adequate	Adequate
5	Stability Trainers	Adequate	Adequate
6	Sensory Assessment Kit	Adequate	Adequate
7	Balance Assessment & Training Equipment	Adequate	Adequate
8	Equipment for Training of Hand Function	Adequate	Adequate
9	Stools, Benches, Wheel Chairs, Stairs Ramps for Training Transfers	Adequate	Adequate

.

NO PRINCÍPAL M.M.E. & R.C'S M. A. RANGOONWALLA COLLECTION PHYSIOTHERAPY & REGENIUH PHILE- 411001.

•